

MATERIAL SAFETY DATA SHEET

Acidic Titration Solvent for Distillates

SECTION 1 . Product and Company Identification

Product Name and Synonym: Acidic Titration Solvent for Distillates

Product Code: 0125

Material Uses:

Manufacturer: Science Stuff
1104 Newport Ave

Austin, TX 78753
(512) 837-6020

Entry Date : 5/23/2013

Print Date: 5/23/2013

24 Hour Emergency Assistance : Chemtrec 800-424-9300
Canutec 613-996-6666

Health:	2
Flammability:	3
Reactivity:	0
Hazard Rating:	
Least Slight Moderate High Extreme	0 1 2 3 4
NA=Not Applicable NE=Not Established	

SECTION 2 HAZARD IDENTIFICATION

Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input type="checkbox"/>	Acetic Acid, Glacial	CAS# 64-19-7	0.46%	V/V	10 ppm OSHA TWA, 15 ppm OSHA STEL
<input checked="" type="checkbox"/>	Isopropyl Alcohol (2-propanol)	CAS# 67-63-0	97.5%	V/V	OSHA TWA 400 ppm, STEL 500 ppm
<input type="checkbox"/>	Sodium Acetate Anhydrous	CAS# 127-09-3	0.16%	W/V	TXDS: orl-rat LD ₅₀ :3530 mg/Kg
<input type="checkbox"/>	Water, Deionized ASTM Type II	CAS# 7732-18-5	2%	V/V	None Established

SECTION 4 FIRST AID MEASURES

Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

FIRST AID: SKIN: Remove contaminated clothing. Wash exposed area with soap and water. if irritation persists, seek medical attention.

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: Give several glasses of milk or water. Vomiting may occur spontaneously, but DO NOT INDUCE! Never give anything by mouth to an unconscious person.

Acidic Titration Solvent for Distillates

SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Water spray, Carbon dioxide, dry chemical, powder, foam.

Fire / Explosion Hazards: Vapor may travel considerable distance to source of ignition and flash back.

Fire Fighting Procedure: Move container from fire area if possible. Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Eliminate Ignition Sources. Neutralize with: Soda lime, soda ash. Absorb with vermiculite or other inert material. Place in container.

SECTION 7 HANDLING AND STORAGE

Store in a cool, dry, well-ventilated place away from incompatible materials. Run-off to sewer may cause fire/explosion hazard. Wash thoroughly after handling.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None required

Ventilation
Local Exhaust
Mechanical

Protective Gloves: NIOSH Approved Gloves

Eye Protection: Splash Goggles

Other Protective Equipment: Wear appropriate clothing to prevent skin exposure

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Melting Point:	<0°F	Percent Volatile by Volume:	>99%
Boiling Point:	>175°F	Evaporation Rate	N/E
Vapor Pressure:	N/E	Evaporation Standard	
Vapor Density:	information not available	Auto Ignition Temp	N/E
Solubility in Water:	Soluble	Lower Flamm. Limit in Air	~2%
Appearance /Odors:	Clear liquid, alcohol odor	Upper Flamm. Limit in Air	~13%
Flash Point:	~60°F		
Specific Gravity:	<1		

SECTION 10 STABILITY AND REACTIVITY INFORMATION

Stability: Stable

Conditions to Avoid: Avoid contact with heat, sparks, flames, or other sources of ignition.

Acidic Titration Solvent for Distillates

Materials to Avoid: Oxidizers, aluminum, barium perchlorate, ketones, strong acids, strong bases.
Hazardous Decomposition Products: Toxic fumes of: Carbon Monoxide, Carbon Dioxide
Hazardous polymerization: Will Not Occur
Conditions to Avoid: None known

SECTION 11 Toxicological Information

SECTION 12 Ecological Information

SECTION 13 Disposal Considerations

SECTION 14 Transport Information

DOT Classification: Flammable Liquid n.o.s.(Isopropanol) 3, UN1993, PGII

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

SECTION 15 Regulatory Information

SECTION 16 Additional Information

Flammable! Conditions aggravated/target organs: Persons with preexisting skin, eye or respiratory conditions may be more susceptible. Acute: Irritation to eyes, skin, respiratory system, digestive tract. Dizziness, confusion, headache, vomiting, coma. Effects may be fatal. Chronic: Dermatitis, eye damage, systemic poisoning.

Flammability

Health

Reactivity

Revisions

NFPA

0.1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.