

MATERIAL SAFETY DATA SHEET

Thymol Blue Indicator

SECTION 1 . Product and Company Identification

Product Name and Synonym: Thymol Blue Indicator
Product Code: 9350
Material Uses:
Manufacturer: Science Stuff
1104 Newport Ave
Austin, TX 78753
(512) 837-6020
Entry Date : 7/1/2013
Print Date: 7/1/2013
24 Hour Emergency Assistance : Chemtrec 800-424-9300
Canutec 613-996-6666

Health:	2
Flammability:	3
Reactivity:	0
Hazard Rating: Least Slight Moderate High Extreme 0 1 2 3 4	
NA=Not Applicable NE=Not Established	

SECTION 2 HAZARD IDENTIFICATION

Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

SECTION 3 MIXTURE COMPONENTS

SARA 313	Component	CAS Number	Percent Comp.	Dimension	Exposure Limits
<input checked="" type="checkbox"/>	Isopropyl Alcohol (2-propanol)	CAS# 67-63-0	Balance	V/V	OSHA TWA 400 ppm, STEL 500 ppm
<input type="checkbox"/>	Thymol Blue	CAS# 76-61-9	0.4%	W/V	None Established

SECTION 4 FIRST AID MEASURES

Keep away from heat and ignition sources. Harmful if swallowed. Avoid breathing vapors. Use with adequate ventilation. Avoid contact with eyes, skin, and clothes. Wash thoroughly after handling. Keep container closed.

FIRST AID: SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention

EYES: Wash eyes with plenty of water for at least 15 minutes, lifting lids occasionally. Seek Medical Aid. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen

INGESTION: If swallowed, induce vomiting immediately after giving two glasses of water. Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

Fire Extinguisher Type: Water spray, dry chemical, carbon dioxide, alcohol foam
Fire / Explosion Hazards: FLAMMABLE! Vapor air mixtures are explosive within flammable limits noted. Vapors may travel to distant ignition source and flash back.

Thymol Blue Indicator

Fire Fighting Procedure: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and clothing.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Eliminate Ignition Sources. Neutralize with: Soda lime, soda ash. Absorb with vermiculite or other inert material. Place in container.

SECTION 7 HANDLING AND STORAGE

Keep away from heat and flame. Do not get in eyes, on skin, on clothing. Use with adequate ventilation.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: Organic Vapor Cartridge

Ventilation

Local Exhaust

Mechanical

Protective Gloves: NIOSH Approved Gloves

Eye Protection: Splash Goggles

Other Protective Equipment: Wear appropriate clothing to prevent skin exposure

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Melting Point:	-89° C	Percent Volatile by Volume:	100%
Boiling Point:	82° C	Evaporation Rate	1.7
Vapor Pressure:	33 @ 25° C	Evaporation Standard	
Vapor Density:	2.1 (air=1)	Auto Ignition Temp	399° C
Solubility in Water:	Soluble (100%)	Lower Flamm. Limit in Air	2.0%
Appearance /Odors:	Clear blue liquid/ mild odor	Upper Flamm. Limit in Air	12.0%
Flash Point:	12° C closed up		
Specific Gravity:	.79		

SECTION 10 STABILITY AND REACTIVITY INFORMATION

Stability: Stable

Conditions to Avoid: Avoid heat and ignition sources

Materials to Avoid: Strong oxidizers, metals, strong bases, amines

Hazardous Decomposition Products: Carbon Oxides

Hazardous polymerization: Will Not Occur

Conditions to Avoid: None known

SECTION 11 Toxicological Information

Thymol Blue Indicator

SECTION 12 Ecological Information

SECTION 13 Disposal Considerations

SECTION 14 Transport Information

DOT Classification: UN1993, Flammable Liquid, n.o.s.
(Isopropanol), 3, PG II

DOT Regulations may change from time to time. Please consult the most recent D.O.T. regulations.

SECTION 15 Regulatory Information

SECTION 16 Additional Information

Conditions aggravated/Target organs: Persons with preexisting skin, eye, respiratory disorders may be more susceptible. Acute: Irritation to skin, eyes, lungs, mucous membranes and GI tract, nausea, narcosis, drowsiness, dizziness. Chronic: Dermatitis, eye damage.

Flammability

Health

Reactivity

Revisions

NFPA

0.1

The information herein is believed to be accurate and is offered in good faith for the user's consideration and investigation. No warranty either expressed or implied is made for the completeness or accuracy of the information whether originating from the above mentioned company or not. Users of this material should satisfy themselves by independent investigation of current scientific and medical knowledge that the material can be used safely.